

References

1. Ahmed R, Gupta .D and De. N D .(199 6). Somatic embryogenesis and regeneration from leaf derived callus of winged bean [*Psophocarpus tetragonolobus* (L.) DC.], Pant Cell Report **15**: 531-535.
2. Arockiasamy.S., Ignacimuthu.S & Melchias. G (2000). Influence of growth regulation & explant type on in vitro shoot propagation & rooting of red Sandal wood (*Pterocarpus samtatinus* L.).Indian J. Exp. Biology **38**:1270-73
3. Ayala F and O, Leary J.W. (1995). Growth and physiology of *Salicornia beglovii* Torr, at suboptimal salinity . Int .J.Plant Sci., **156**:97-205.
4. Bapat V.A., Rao P.S. (1988) Sandalwood plants from synthetic seeds. Plant Cell Report **7**: 434-436
5. Bapat,V.A. and P.S.Rao (1990) Mulberry shoot tip encapsulation. Plant Cell Tissue and Org. Culture **20**: 69-70
6. Bates. L.S. Waldren , R.P. & Ters , T.D. (1973). Rapid detrmination of free proline for water strem studies. Plant & Soil . **39**: 205-208.
7. Ballesteros E, Blumwald E, Donaire JP & Belvar A (1997). Na⁺ / H⁺ antiport activity in tonoplast vesicles isolated

from Sunflower roots induced by NaCl stress. *Physiol Plant.* **99**: 328-334.

8. Blits KC, Cook D.A & Gallagher JL (1993). Salt tolerance in cell suspension culture of Halophyte *Kosteletzkya virginica*. *J. Exp. Bot.* **44**;681-686
9. Bornman C H. (1974), In : *Tissue culture cultures & Plant Science* (ed), H.E Street, Acad. Press. London, PP 43-70
10. Boyko H (1966) *Salinity & Aridity; New approaches to old problems*, Dr W. Junk Publishers, The Hague
11. Burton (1956), *Study of the condition & mechanism of diphenylamine reaction for courimetric estimation of DNA – Biochem. J.* **62**: 315 –323.
12. Carter D L.(1975). *Problem of salinity in agriculture: In plants in Saline environment*. Eds. Poljekoff Mayber A, and Gale, J, pp 25-35, Springer Verlag, Hedelberg, New York.
13. Chakrabarti, S.P., Vijayan, K., Roy, B.N. and Qadri, S.M.H (1998) *In vitro* induction of tetraploidy in Mulberry (*Morus alba*). *Plant Cell Report* **17(10)**: 799-803.
14. Chapman, V.J. 1966. In: *Salinity and aridity: new approaches to problem* H.Boyko (ed.)Junk, The Hague.pp23-42.
15. Chapman, V.J. 1974. In *Ecology of halophytes*. Reinold, R.J. and Queen, W. H., Academic Press, London

16. Chapman .V.J. 1974. Salt Marshes and Salt Deserts of the World. 2nd ed. Springer Verlag. Berlin.
17. Chapman, V.J 1960. Salt Marshes and Salt Deserts of the World. Leonard Hill Publication, London, pp. 392.
18. Cherian, Sam (1998). Salinity tolerance in vitro propagation studies on *Suaeda nudiflora* and *Avicennia marina*. Ph.D. Thesis , Bhavnagar University, Gujarat, India.
19. Curtero J, Yeo A.R & Flowers T.J (1992), Selection of donors for salt tolerance in tomato using physiological traits. *New Phytol* **121**; 63-69.
20. Chan L. T & Luthe D.S, (1987) *Plant Sci*, **48**: 181
21. C.S. Rao, P.Eganathan, Ajith Anand, P.Balakrishna and T.P.Reddy (1998). In vitro propagation of *Excoecaria agallocha*, a medicinally important Mangrove tree species. *Plant Cell Reports*. **17(11)**: 861-865
22. Das P, Samantaray S, Robert A V, Rout G. R.(1997) In vitro somatic embryogenesis of *Dalburgia sissoo* Roxb a multipurpose timber yielding tree. **16**;578-582
23. Das G, and Rout G R (2002). Direct plant regeneration from leaf explant of *Plumbago* sp. *Pl. Cell Tissue Organ culture*. **68(3)**; 311-314.
24. Daven Port RJ, Reid RJ & Smith FA (1997) Sodium -calcium interactions in two wheat species differing in salinity tolerance. *Physiol Plant* **99**; 323-327

25. Davis, B.D.(1977) Occurrence of amylase in the axis of germination peas. *Plant Physiol.***60**;513.
26. Debnath, S. C.; McKenzie, D. B.; Mc Rae, K. B.(2001). Callus induction and shoot regeneration from stem, rachis and leaf explants in beach pea (*Lathyrus japonicus* wild). *J. Plant Biochem. Biotechnol.* **10(1)**; 57-60
27. Dix, P. J. and Street, H.E.(1975), Sodium chloride-resistant cultured cell lines from *Nicotina sylvestris* and *Capsicum annum*. *Plant Sci. Lett.* **5**;231-237.
28. Durham .R.E. & Parrott W.A,(1992). Repetitive somatic embryogenesis from peanut cultures in liquid medium, *Plant Cell Report.* (**11**);122.
29. Dutta S, Gupta. Ahmed D. N .De(1997). Direct somatic embryogenesis & plant regeneration from seedling leaves of Winged beans [*Psophocarpus tetragonolobus* (L)] DC. *Plant Cell report.* **16**:628-631
30. Dwivedi K, Poonam Srivastava. (1990). Direct regeneration of shoots from leaf segment of Tomato (*Lycopersicon esculantum*) cultured in vitro & production of plant. *Ind. J. Exp. Biology.***28**; 32 - 35.
31. Eganathan P., C. Srinivasarao, H.M.S R Subramanian and P. C. Kesavan. Clonal propagation and artificial regeneration of *Rhizophora* species - A case study of establishment of Mangrove Genetic Resource Conservation Center (MGRCCs) in Pichavaram mangroves, India. Abstract submitted and accepted.

Biotechnological innovations in Conservation and Analysis of Plant Diversity. Delhi University (Golden jubilee symposium). February 7-9, 2001.

32. Eshel, A. (1985) . Response of *Suaeda aegyptica* to KCl., NaCl & Na₂SO₄ treatments. *Physiol. Plant.* **54**; 304-315.
33. Flower T.J, Troke P.F & Yeo A.R (1977). The mechanism of salt tolerance in halophytes. *An. Rev. Plant Physiol.* **28**: 89-0121
34. Flower T.J. & Yeo, A.R. (1995). Breeding for salinity resistance in Crop Plant . where Next? *Aust . J. Plant Physiol.* **22**: 875-884
35. Furmanova, M., Sowinska, D. and Pietrosiuk, A.(1991) In :Bajaj Y P S(ed) *Biotechnology in Agriculture and forestry*, springer-verlag, Berlin pp176
36. Ganapathi.T.R., P.Suprasama,V.A.Bapat and P.S.Rao (1992) Propagation of Banana through encapsulated shoot tips. *Plant Cell Reports* **11**: 571-575
37. Ganapathi,T.R., V.A.Bapat and P.S.Rao (1994) In vitro development of encapsulated shoot tips of Cardamon. *Biotech. Techniques* **8(4)**: 239-244
38. Ganapathi.T.R., P.Suprasanna, V.A.Bapat, V. M.Kulkerni and P.S. Rao.(1999) Somatic embryogenesis and plant regeneration from male flower bud in Banana. *Curr. Sci.* **76 (9)**: 1228-1230

39. Gates C.T. and Muirhead, W. (1967). Aust. J. Exp. Agric. Anim. Husb. **7**: 39-49.
40. Girija, S., Ganapathi, A. & Anantha krishnan (2000). Somatic embryogenesis in *Vigna radiata* (L) Wilczek Indian J. Of Exp. Biol. **38**; 1241-1244
41. Greenway, H. & Munns, R. & Wolfe, J. (1983). Interaction between growth , Cl⁻ & Na⁺ uptake & water relations of plant in saline environments. I Slightly vacuolated Calls. Plant Cell & Environ. **6**; 567-579
42. Glenn, E.P. J.J. Brown and J.W. Oleary. (1998) Irrigating crops with seawater. Sci. Am. **279**; 76-81
43. Glenn, E. P. , (1952) Sand and water culture method used in the study of plant nutrient. Common wealth Agri. Bureaux: Faehan Royal Buck, England.
44. Gupta, P.K. (eds. 1998) Elements of Biotechnology. Tata McGrow-Hill. PP278.
45. Hedenstrom, H. Von & Breckle, S. W. (1974). Obligate halophytes? A test with tissue culture methods. Z Pflanzenphysiol **74**; 183-185.
46. Hasegawa P.M , Bressan R.A. , Nelson, D.E, Samaras, Y. & Rhodes, D. (1994). Tissue cultures in the improvement of salt tolerance in plants. In Yeo AR & Flowers TJ (ed) Monograph on Theoretical & Applied Genetics Springer - Verlag, Berlin pp 83-125

- 47.Kacker.A. & Shekhawat NS (1991). Plant regeneration from cultured immature inflorescence of *Urochloa panicoides*. Indian J. Exp.Biol.**29**;331-333
- 48.Kar,M. & Mishra,O.(1976) Catalase Peroxidase & polyphenol oxidase activity during rice leaf senescence. Plant Physiol.**57**:315-319.
- 49.Kato Y. (1963) Physiological & morphologic studies of fern gametophyte in aseptic cultures. I. Callus tissues from dark culture of *Pteris vittata*. Biol. **492**:413-416.
- 50.Kato,Y. (1964) Physiological & morphogenetic of fern gametophyte by aseptic cultures. III. Growth of differentiation of single cell isolated from callus tissues *Pteris vittata*. Cytologia 29: 79 –85.
- 51.Kacker.A and N. S Shekhawat (1991) Plant regeneration from culture immature inflorescence of *Urochloa panicoides*. Indian J. Exp.Biol. **29**: 331-333
- 52.Kacker, A. and N. S Shekhawat (1991) Plant regeneration from culture immature inflorescence of *Cincherus setegerus* & *C.eiliaris*. Indian J.Exp. Biol: **29(1)**;62-64.
- 53.Kenny L P & Caligari D S. Androgenesis of the salt tolerant shrub *Atriplex glauca*, Plant Cell Report. **15**; 829 - 832.
- 54.Khan M.A. & Ungar, I.A. (1996). Influence of Salinity & temperature on the germination of *Haloxylon recurvum* Bunge ex. Boiss. Ann Bot. **78**: 541-551

55. Kim, Younghee. (2001) Effects of BA, NAA, 2,4-D, and AgNO₃ treatments on the callus induction and shoot regeneration from hypocotyl and cotyledon of sesame (*Sesamum indicum* L.). C.A. 135 : 58560.
56. Kintzios, S., Drossopoulos, J. B., Lympelopoulos, (2000). Effect of vitamins and inorganic micro nutrients on callus growth and somatic embryogenesis from young mature leaves of rose. J. Plant Nutr., 23(10), 1407-1420
57. Kumar, S. and Sharma D.R (2001). Micropropagation from in vitro roots of Kiwi fruit , Indian Jour. Plant Physiol, **6**; 95-97
58. Kuer, G., Singh, R.P., Rathore, T.S. & Shekhawat, N. S. (1992). In vitro propagation of *Anogeissus sericea*. Indian J. Exp. Biol. **30**; 188-191
59. La Rue, D.D.(1947) Growth & regeneration of the endosperm of maize in culture. Am. J. Bot. **39**; 585-586.
60. Laparra H, Stoeva P, Ivanov.P, Hartine. G. (1997). Plant regeneration from different explants *Halianthus smithii*. Heiser. 16:692-695.
61. Lee, Seok-Hyun; Lee, Mi-Young (2000). Plant regeneration of geranium (*Pelargonium graveolense*) callus and changes of peroxidase isozyme pattern. Chemical Abstract : 134 :249573

62. Leela George, Susan Eapan and P.S Rao (1991). Plant regeneration by somatic embryogenesis from inflorescence cultures of *Sorghum halepense*. Indian J. Exp. Bio. **29(1)**;16-18
63. Lowery . O.H, Rosenbrough. N.J, Farr, A.L. & Randa, E.J (1951). Protein measurement with follin- phenol reagent .J. Biol. Chemistry: 193-265
64. Lucchesini, M., Mensuali Sodi, A. and Vitagliano (1993) Micropropagation of *Tamarix gallica* from nodal explants of mature trees. Plant Cell Tissue & Organ Culture **35**;195-197.
65. Machii H. (1992). In vitro growth of encapsulated adventitious bud in mulberry, (*Morus alba* L). Japan J Breed. **42**; 552-559.
66. Machly, A.C. (1954). In methods of biochemical analysis I : 385 – 86. Ed., D. Glick, Interscience publishers Inc. , New York.
67. Mathur, Sujatha; Shekhawat, Gyansingh; Batra Amla(2000). Propagation of *Salvadora persica* linn Via cotyledonary nodes. Indian J. Biotechnology. **1(2)**;197-200
68. Maruyama., E., Kinoshita, I., Ishii.,K., Ohba, K., and Saito, A. (1997). Germplasm conservation of the tropical forest trees, *Cedrela odorata* L., *Guazuma crinita* Mart., and *Jacaranda mimosaeifolia* D. by shoot tip

encapsulation in calcium- alginate and storage at 12-25⁰C. Plant Cell Report.**16**;393-396

- 69.Mallikarjuna, N, Reena M J T, Sastri D C and Moss J P (1996). Somatic embryogenesis in pigeon pea [*Cajanus cajan*(L.)]. Indian J. Exp Biology. **34**;282-284
- 70.Manju, S, Anju, J.B. & Mair, G.M. (2000). Somatic embryogenesis from leaf derived callus of *Tylophora indica*. Indian. Exp Biol. **38**;1069-1072
- 71.Minal Mhatre, P. S Rao & V.A. Bapat (1991) Electrophoretic analysis of Sandal wood (*Santalum album* L.) protein during morphogenesis. India J. Exp. Biology: **29**; 1150-1151
- 72.Mc Coy T.J. (1987). Tissue culture evaluation of NaCl tolerance in Medicago species: cellular versus whole plant response. Plant Cell Reports. **6**;31-34
- 73.Mc Coy TJ (1987). Tissue culture evaluation of NaCl tolerance in Medicago species: cellular versus whole plant response. Plant Cell Reports. **6**;31-34
- 74.Momonoki, Yoshie S., Kato, Shigeru; Kamimura, Hideo. (1994) Studies on the mechnism of salt tolerance of *Salicornia europea* L. Nippon sakumotsu Gakkai Kiji, **63(4)**; 650-6.
- 75.Murashige, T. & skoog, F. (1962). A. revised medium for rapid growth & bioassays with tobacco tissue cultures, Physio Plant, **15**:473

76. Narayanaswamy, S. (1999), In: Plant Cell & Tissue Culture (ed). Tata Mc Grew Hill Publishing Company Limited, New Delhi. pp 580-511
77. Neiman, R.H. & Paulsen, C.L. (1963) Spectrophotometric estimation of nucleic acid of plant leaves. *Plant Physiol.* **38**; 31-35.
78. Nogyo, N. (1990) Studies on the salt tolerance of *Salicornia herbacea* L. 1. Response to differing salt concentration. *34*(3), 163-168.
79. Nitsch, J.P. & Nitsch, C. (1956). Auxin development growth of excised of *Helianthus tuberosus* tissues. *Am. J. Bot* **43**; 839-851.
80. Noel, N; Leple J.C., Pilate, G. (2000). Optimization in vitro micropropagation & regeneration for *Populous intrarmicana* & *Populous euramricana* hybrid. *Plant Cell report.* **200**(12); 1150-1155.
81. O' Leary, J. W. (1983). The role of halophytes in irrigated agriculture. In *Plant Improvement for irrigated Crop production Under Increasing Saline Conditions* Staples, R.C and Toenniessen, G.H. (eds), Wiley Interscience, New York. pp66
82. Olmos, E. & Hellin, E. (1996) Mechanism of salt tolerance in a cell line of *Pisum sativum* biochemical & physiological aspects. *Plant Science.* **120**; 37-45

83. Pasternak, D., Danon, A., and Aronson, J. A (1985).
Developing the sea water agriculture concept. *Plant soil*. **89**; 337 -348.
84. Pattnaik, S.; Pradhan, C., Naik, S. K., Chand, P. K (2000). Shoot organogenesis and plant let regeneration from hypocotyl-derived cell suspensions of a tree legume, *Dalbergia sissoo* Roxb. *In Vitro Cell. Dev. Biol. Plant*. **36(5)**; 407-411
85. Pasternak, D. (1982) Biosaline research in Israel; Alternative solution to a limited fresh water supply. In A. San Pietro (ed). *Biosaline research : A look to the future*. Plenum Press, New York pp 39-57.
86. Peach , K and Tracy , M.V. (1955) . *Modern methods of plant analysis* - Springer – verlag, Berlin.
87. Phunchindawan, M.K., Hirata, Asakai and K. Miyamoto (1997) Cryopreservation of encapsulated shoot primordia induced in horse radish (*Armoracia rusticana*) hairy root cultures. *Plant cell Reports*. **16**; 469-473
88. Polisetty, V. Paul, J.J., Deveshwar, S. Khetarpur, Suresh, R., Chandra R. (1997) Multiple shoot induction by benzyladenin & complete plant regeneration from seed explant of chickpea (*Cicer arietinum* L.). *Plant Cell Report*. **16**; 567-571
89. Radhmani, J. and K.P.S. Chandel (1992) Cryopreservation of embryonic axes of trifoliolate orange (*Poncirus trifoliata*). *Plant Cell Report* **11(7)**; 372-374

- 90.Rao, U.R. (1990). Space technology & forest management with specific relevance to developing nation. Proc 64st IAF Cong Dresden, Germany pp 1-10..
- 91.Rao, C.S., P. Eganathan, A.Anand, P.Balakrishna and T.P.Reddy (1998) Protocol for in vitro propagation of *Excoecaria agallocha* L. Plant Cell Reports **17**; 861- 865
- 92.Redda, A. A, Ahmed F.A, Ghanem, S. A., Solaimam, M. (2000). Factor affect growth & trigonidine content of fenugreek calli (*Trigonella foenum-graecum*); Bull Att. Res. Cent. **25 (3)**;269-279.
- 93.Redenbaugh, K, Paasch, B. D., Nichol, J. W., Kossleer, M. E., Viss, P. R. and Waker, K. A. (1986) Biotechnology **4**; 797-801
- 94.Reddy, M.P., Sanish, S. and Iyengar, E.R.R. (1992). Photosynthetic studies and compartmentation of ions in different tissues of *Salicornia brachiata* Rox. under saline conditions. Photosynthetica, **26**;173-179.
- 95.Rina Ahemd, S. Gupta, and Deepesh, N. De (1996). Somatic embryogenesis and Plant regeneration from leaf derived callus of winged bean (*Psophocarpus tetragonolobus*). Plant Cell Report **15**;531-535
- 96.Rogers, S .M. D , Dahmer, M.L, Stair, D.W. (1993). Characterization of bufflegass (*Cenchrus ciliaris* L) cell suspension cultures. In vitro Cell Dev Biol. **29**; 51-54.

97. Rout, G. H., Palia, samantary S. K, Samantary, Das, S. P. (2000). Effect of growth regulator & culture condition on shoot multiplication & rhizome formation in ginger (*Zingiber officinalis* Rosc). In vitro. Plant **37(6)**; 814-819.
98. Rush, D. W., and Epstein, E. (1976). Genotypic responses to salinity differences between the salt sensitive and salt tolerant genotype of tomato. Plant Physiol. **57**; 162-166.
99. Sanish, S. (1992). Studies in Salicornia Ph.D thesis. Bhavnagar University, Gujarat, India.
100. Saini, R. and Jaiwal, P. K. (2000). In vitro multiplication of *Pongamum harmala* - An important medicinal plant, Indian J. Exp Biology. **38**; 499-503.
101. Scott warren, R., Baird, L.M. and Thompson, A.K. (1985) Salt tolerance in Cultured cells of *Spartina pectinata*. Plant Cell Reports. **4**; 84-87
102. Selvaraj, Gopalan, Jain, Ravinder, K., Olson, Douglas, J., Hirji, Rozina., Jana, Sakti., Hogge, Lawrence, R. (1995). Glycinebetain in oil seed rape & flax leaves: detection by liquid chromatography/ continuous flow secondary ion-mass spectrometry. Phytochemistry. **38(5)**; 1143 -1146
103. Shankhdhar, D., Shankhdhar, S. C., Mani, S. C., Pant, R. C. (2000) In vitro selection for salt tolerance in rice. Biol. Plant., **43(3)**; 477-480

104. Sharma, K. S., Rogers, S. M.D (1998) . Plant regeneration and multiplication of the emergent wetland monocot *Juncus accuminatus*. Plant Cell Report. **17**; 656-660.
105. Sharma, S.K. and Gupta, I.C. (1986), Plant Growth Monograph Series-4: 8-49
106. Sibaprasad, De (1989) DNA, RNA and protein contents during Rhizogenesis in Tissue culture of *Calotropis gigantea*. Indian J. Expt. Biol. **27**;185-186.
107. Smith, M.K. & Mc Comb, J.A. (1981). Effect of NaCl on the growth of whole plant & their corresponding callus cultures Aust. J Plant Physiol. **8**;267-275.
108. Steward, F.C.& Caplin, S.M.(1952) Investigations on growth & metabolism of plant cells.IV. Evidence on the role of the coconut milk factor in development. An. Biol. **16**;491- 504.
109. Steward, F.C.& Caplin, S.M.(1954) The growth of carrot tissue explant & its relation to the growth factor present in coconut milk. I The development of quantitative method & the factors affecting the growth of carrot tissue explant .An..Biol.**30**;385-395.
110. Storey, R., and Wyn Jones, R.G. (1979). Responses of *Atriplex spongiosa* and *Suaeda monoica* to salinity, Plant Physiol.**63**;156-162.
111. Straus, J.& La Rue,C.D.(1954). Maize endosperm tissue grown in vitro. I culture requirements. Am. J. Biol.**41**;687-699.

112. Street et al (1964). In: Regulators Natural de le Crossance Vegetable, CNRS, Paris. 529-541.
113. Sulochana, C.H., Srinivasa, T.J.V. and Sarithamma, N.(2002) Effect of Calcium on water stress amioleration through Calmodulin & Scavenging enzymes in Groundnut. India. J. Pl. Physiol. 7(2):152 –158.
114. Sujatha M, (1997). In vitro adventitious shoot regeneration for effective maintenance of male sterile niger [*Guizotia abyssinica* (L. f) Cass]. Euphytica **3**; 89-1997.
115. Shannon, M.C. (1982) Genetics of salt tolerance. New Challenges. In San Pietro A (Ed) Biosaline research. A look to the future. Plenum Press, New York. pp 271-278
116. Szaboles (1992), Salinization of soil and water and its relation to desertification. In: Desertification control Bulletin, VSEP, PP 32-37.
117. Tanji, K.K. (1990). Nature & extent of agricultural salinity, Agricultural salinity assessment & management (ed) K.K Tanji Am. Soc. Civil Eng ASCE, New York pp 1-7
118. Tatsuhito, fujimura, Atsushi Komamine and Hideaki Matsumoto(1980). Aspects of DNA,RNA and protein synthesis during somatic embryogenesis in a carrot cell suspension culture. . Physiologia Plantarum.. **49**; 225-260.

119. Uchiyama, U. (1987). Salt tolerance of *Atriplex nummularia*.
Tech. Bulletin of Tropical Research Centre, Ministry
of agriculture, Forestry and fisheries . Japan,**11**; 1-69
120. Unger, I.A. (1995). Seed germination & seed bank ecology
in halophytes. In Kigel J & G.Galili (ed), Seed
development & germination, Macel, Dekker, New
York.pg.599-628
121. Venkateswaran, S.(1992) Tissue culture studies on *Vicia
faba* L. I. Establishment of culture. Phytomorphology
12; 300-306.
122. Williams, E. G. & Maheswaran, G.(1986) Somatic
embryogenesis factors influencing coordinated
behavior of cells of an embryogenic GP. Ann. Bot.
57; 443.
123. Warren, R.S. & Gould, A.R. (1982). Salt tolerance
expressed as a cellular trait in suspension cultures
developed from the halophytic grass *Distichlis
spicata*. Z Pflanzenphysiol. IBD **107**;347-356
124. Wann, S.R, Becwar, M., Nagmani, R., Feirer, R. P. and
John, M.A, (1988). IPC Technical paper series, 29
125. Warren, R. S, Baird, L. M. and Thompson, A. K. (1985).
Salt tolerance in cultured cell suspension of *Spartina
pectinata*. Plant Cell Rep. **4**; 84-87.
126. White, P. R. (1943) A Handbook of Plant Tissue Culture,
Jacques Cattell, England

127. Woodhead, J. L. and Bird, K. T. (1998) Efficient rooting and acclimation of micropropagated *Ruppia maritima* Loisel : Mar. Biotechnol **6**; 152-156.
128. White, P.R.(1963).The Cultivation of Animal & Plant Cells, 2nd Ed. Ronald Press, NY.
129. Wttham, F.H. (1968) Effect of 2,4-diclorophenoxyacetic acid on the cytokinin requirement of Soybean cotyledon and tobacco stem pith callus tissues. Pl. Physiol. Lancaster , **43**; 1455 – 1457.
130. Yen, Hungchen Emilie., Wu, Su-Mei, Hung, Yu-Hui,, Yen, Shi-Kae.(2000). Isolation of 3 salt-induced low-abundance cDNAs from light-grown callus of *Mesembryanthemum crystallinum* by suppression subtractive hybridization. Physiol. Plant., **110(3)**; 402-409
131. Zen, M.H. (1974) In " Haploids in Higher Plants " K.J. Kasha, (Ed), University of Guelph press, Guelph, Canada, pg. 339-359.
132. Zhao, A., Heyser, J. W. and Bohnert, H.J. (1989). Gene expression in suspension culture cells of halophyte *Distichilis spicata* adapted to high salt. Plant Cell Physiol. **30**; 461- 466.